



Mr. Ali Kırılmaz :+90 506 601 96 44
Mr. Osman Kırılmaz :+90 505 371 81 15
Mr. H. Mehmet Akmaz :+90 530 786 67 46

Şazibey Mah. Mahrukacılar Cad. No: 29/A
Onikişubat / KAHRAMANMARAŞ

Website: www.guloyma.com
Mail: info@guloyma.com
Mail: guloyma1956@gmail.com

ABOUT US

Guloyma gunstockblanks

(Güloyma Ltd. Şti.), one of the leading integrated manufacturers in its sector,

has been serving the Wood and Walnut Dipcik Sector since 1956.

Our company produces in 2500 square meters closed and 2000 square meters open area in Kahramanmaraş with 52 personnel who are experts in their field.

We procure the Walnut Trees that we use in the production of Dipcik from places at high altitudes in the Eastern Anatolia region of Turkey, at an altitude of 1,000 to 2,500 meters above sea level.

Higher quality products are obtained from walnut trees growing by struggling with climatic difficulties in mountainous, rocky and high regions.

Since the highest quality wood comes from the roots of the tree, the first thing to do is to dig around the tree where it is stuck in the ground and expose its roots, then cut the roots of the appropriate size. Another part of the tree that yields high-quality timber is the apex, where the trunk branches into branches. This section is also cut in such a way that pieces of appropriate size can be removed.

wood fibers, cutting is made according to the desired template.

After the cutting process is finished, blanks are subjected to steaming for 48 or 72 hours depending on the vein structure of the tree. The purpose of this process is to provide a more even color distribution in the woods, as well as to keep the wood away from the attack of moths and similar parasites.

After the steaming process is over, the natural drying stage is started. For this process, the head and base part of the buttstock, that is, the part that will join with the body and the part that will come to the shoulder, is plastered with liquid paraffin, and natural drying is performed until the humidity of the Stock Drafts is 10-15%.



STANDART - SHOTGUN BLANKS



LENGTH: 48-52 cm 18,89 - 20,47 İnç
THICKNESS: 6-7 cm 2,36-2,75 İnç
WIDTH ON BUTT: 17-21 cm 6,69- 7,87 İnç
FRONT: 10-13 cm 3,93- 5,11 İnç
MOISTURE % 10-20



NUMBER: 2 - SHOTGUN BLANKS



LENGTH: 48-52 cm 18,89 - 20,47 İnç
THICKNESS: 6-7 cm 2,36-2,75 İnç
WIDTH ON BUTT: 17-21 cm 6,69- 7,87 İnç
FRONT: 10-13 cm 3,93- 5,11 İnç
MOISTURE % 10-20



NUMBER: 2.5 - SHOTGUN BLANKS



LENGTH: 48-52 cm 18,89 - 20,47 İnç
THICKNESS: 6-7 cm 2,36-2,75 İnç
WIDTH ON BUTT: 17-21 cm 6,69- 7,87 İnç
FRONT: 10-13 cm 3,93- 5,11 İnç
MOISTURE % 10-20



NUMBER: 2.5 - SHOTGUN BLANKS



LENGTH: 48-52 cm 18,89 - 20,47 inç
THICKNESS: 6-7 cm 2,36-2,75 inç
WIDTH ON BUTT: 17-21 cm 6,69- 7,87 inç
FRONT: 10-13 cm 3,93- 5,11 inç
MOISTURE % 10-20



NUMBER: 3 - SHOTGUN BLANKS



LENGTH: 48-52 cm 18,89 - 20,47 inç
THICKNESS: 6-7 cm 2,36-2,75 inç
WIDTH ON BUTT: 17-21 cm 6,69- 7,87 inç
FRONT: 10-13 cm 3,93- 5,11 inç
MOISTURE % 10-20



NUMBER: 3 - SHOTGUN BLANKS



LENGTH: 48-52 cm 18,89 - 20,47 inç
THICKNESS: 6-7 cm 2,36-2,75 inç
WIDTH ON BUTT: 17-21 cm 6,69- 7,87 inç
FRONT: 10-13 cm 3,93- 5,11 inç
MOISTURE % 10-20



NUMBER: 3 SHOTGUN BLANKS



LENGTH: 48-52 cm 18,89 - 20,47 inç
THICKNESS: 6-7 cm 2,36-2,75 inç
WIDTH ON BUTT: 17-21 cm 6,69- 7,87 inç
FRONT: 10-13 cm 3,93- 5,11 inç
MOISTURE % 10-20



NUMBER: 3 SHOTGUN BLANKS



LENGTH: 48-52 cm 18,89 - 20,47 inç
THICKNESS: 6-7 cm 2,36-2,75 inç
WIDTH ON BUTT: 17-21 cm 6,69- 7,87 inç
FRONT: 10-13 cm 3,93- 5,11 inç
MOISTURE % 10-20



NUMBER: 4 SHOTGUN BLANKS



LENGTH: 48-52 cm 18,89 - 20,47 inç
THICKNESS: 6-7 cm 2,36-2,75 inç
WIDTH ON BUTT: 17-21 cm 6,69- 7,87 inç
FRONT: 10-13 cm 3,93- 5,11 inç
MOISTURE % 10-20



NUMBER: 4 SHOTGUN BLANKS



LENGTH: 48-52 cm 18,89 - 20,47 İnç
THICKNESS: 6-7 cm 2,36-2,75 İnç
WIDTH ON BUTT: 17-21 cm 6,69- 7,87 İnç
FRONT: 10-13 cm 3,93- 5,11 İnç
MOISTURE % 10-20



NUMBER: 4 - SHOTGUN BLANKS



LENGTH: 48-52 cm 18,89 - 20,47 İnç
THICKNESS: 6-7 cm 2,36-2,75 İnç
WIDTH ON BUTT: 17-21 cm 6,69- 7,87 İnç
FRONT: 10-13 cm 3,93- 5,11 İnç
MOISTURE % 10-20



NUMBER: 4 - SHOTGUN BLANKS



LENGTH: 48-52 cm 18,89 - 20,47 inç
THICKNESS: 6-7 cm 2,36-2,75 inç
WIDTH ON BUTT: 17-21 cm 6,69- 7,87 inç
FRONT: 10-13 cm 3,93- 5,11 inç
MOISTURE % 10-20



NUMBER: 4 - SHOTGUN BLANKS



LENGTH: 48-52 cm 18,89 - 20,47 inç
THICKNESS: 6-7 cm 2,36-2,75 inç
WIDTH ON BUTT: 17-21 cm 6,69- 7,87 inç
FRONT: 10-13 cm 3,93- 5,11 inç
MOISTURE % 10-20



NUMBER: 4 - SHOTGUN BLANKS



LENGTH: 48-52 cm 18,89 - 20,47 İnç
THICKNESS: 6-7 cm 2,36-2,75 İnç
WIDTH ON BUTT: 17-21 cm 6,69- 7,87 İnç
FRONT: 10-13 cm 3,93- 5,11 İnç
MOISTURE % 10-20



NUMBER: 5 - SHOTGUN BLANKS



LENGTH: 48-52 cm 18,89 - 20,47 İnç
THICKNESS: 6-7 cm 2,36-2,75 İnç
WIDTH ON BUTT: 17-21 cm 6,69- 7,87 İnç
FRONT: 10-13 cm 3,93- 5,11 İnç
MOISTURE % 10-20



NUMBER: 5 - SHOTGUN BLANKS



LENGTH: 48-52 cm 18,89 - 20,47 inç
THICKNESS: 6-7 cm 2,36-2,75 inç
WIDTH ON BUTT: 17-21 cm 6,69- 7,87 inç
FRONT: 10-13 cm 3,93- 5,11 inç
MOISTURE % 10-20



NUMBER: 5 - SHOTGUN BLANKS



LENGTH: 48-52 cm 18,89 - 20,47 inç
THICKNESS: 6-7 cm 2,36-2,75 inç
WIDTH ON BUTT: 17-21 cm 6,69- 7,87 inç
FRONT: 10-13 cm 3,93- 5,11 inç
MOISTURE % 10-20



NUMBER: 5 - SHOTGUN BLANKS



LENGTH: 48-52 cm 18,89 - 20,47 inç
THICKNESS: 6-7 cm 2,36-2,75 inç
WIDTH ON BUTT: 17-21 cm 6,69- 7,87 inç
FRONT: 10-13 cm 3,93- 5,11 inç
MOISTURE % 10-20



EXHIBITION - SHOTGUN BLANKS



LENGTH: 48-52 cm 18,89 - 20,47 inç
THICKNESS: 6-7 cm 2,36-2,75 inç
WIDTH ON BUTT: 17-21 cm 6,69- 7,87 inç
FRONT: 10-13 cm 3,93- 5,11 inç
MOISTURE % 10-20



EXHIBITION - SHOTGUN BLANKS



LENGTH: 48-52 cm 18,89 - 20,47 İnç
THICKNESS: 6-7 cm 2,36-2,75 İnç
WIDTH ON BUTT: 17-21 cm 6,69- 7,87 İnç
FRONT: 10-13 cm 3,93- 5,11 İnç
MOISTURE % 10-20



EXHIBITION - SHOTGUN BLANKS



LENGTH: 48-52 cm 18,89 - 20,47 İnç
THICKNESS: 6-7 cm 2,36-2,75 İnç
WIDTH ON BUTT: 17-21 cm 6,69- 7,87 İnç
FRONT: 10-13 cm 3,93- 5,11 İnç
MOISTURE % 10-20



RIFLE BLANKS GOOD COLOUR + GRADE



LENGTH: 90-120 cm 35,45 - 47,25 inç
THICKNESS: 6-7 cm 2,36-2,75 inç
WIDTH ON BUTT: 18-22 cm 7,08- 8,66 inç
FRONT: 10-13 cm 3,93- 5,11 inç
MOISTURE % 10-20



RIFLE BLANKS GOOD COLOUR + GRADE



LENGTH: 90-120 cm 35,45 - 47,25 inç
THICKNESS: 6-7 cm 2,36-2,75 inç
WIDTH ON BUTT: 18-22 cm 7,08- 8,66 inç
FRONT: 10-13 cm 3,93- 5,11 inç
MOISTURE % 10-20



RIFLE BLANKS GOOD COLOUR + GRADE



LENGTH: 90-120 cm 35,45 - 47,25 inç
THICKNESS: 6-7 cm 2,36-2,75 inç
WIDTH ON BUTT: 18-22 cm 7,08- 8,66 inç
FRONT: 10-13 cm 3,93- 5,11 inç
MOISTURE % 10-20



RIFLE BLANKS GOOD COLOUR + GRADE



LENGTH: 90-120 cm 35,45 - 47,25 inç
THICKNESS: 6-7 cm 2,36-2,75 inç
WIDTH ON BUTT: 18-22 cm 7,08- 8,66 inç
FRONT: 10-13 cm 3,93- 5,11 inç
MOISTURE % 10-20



RIFLE BLANKS GOOD COLOUR + GRADE



RIFLE BLANKS GOOD COLOUR + GRADE



LENGTH: 90-120 cm 35,45 - 47,25 İnç
THICKNESS: 6-7 cm 2,36-2,75 İnç
WIDTH ON BUTT: 18-22 cm 7,08- 8,66 İnç
FRONT: 10-13 cm 3,93- 5,11 İnç
MOISTURE % 10-20



LENGTH: 90-120 cm 35,45 - 47,25 İnç
THICKNESS: 6-7 cm 2,36-2,75 İnç
WIDTH ON BUTT: 18-22 cm 7,08- 8,66 İnç
FRONT: 10-13 cm 3,93- 5,11 İnç
MOISTURE % 10-20





